


3b



Universal Turing Machines

Analiza Algoritmilor



Vizualization





Dealing with different alphabets





Dealing with different alphabets





Dealing with different alphabets





Dealing with different alphabets





Dealing with different alphabets





Dealing with different alphabets





Dealing with different alphabets





Dealing with different alphabets





Dealing with different alphabets





Dealing with different alphabets





Dealing with different alphabets



Dealing with different alphabets



Dealing with different alphabets




Encoding example – isEven

	0	1	□
q_1	$q_1, 0, \rightarrow$	$q_1, 1, \rightarrow$	q_2, \square, \leftarrow
q_2	$Y, 0, -$	$N, 1, -$	$N, \square, -$


Encoding example – isEven

	g_1	g_2	g_3
q_1	q_1, g_1, d_2	q_1, g_2, d_2	q_5, g_3, d_1
q_5	q_2, g_1, d_3	q_3, g_2, d_3	q_3, g_3, d_3


The UTM at work




The UTM at work




The UTM at work




The UTM at work




The UTM at work



The UTM at work




Midwork






Simulating one transition

S




check_state






Simulating one transition

S




check_state





Simulating one transition

S




check_state





Simulating one transition

S




check_state




Simulating one transition

S




go_to_symbol




Simulating one transition

S




go_to_symbol






Simulating one transition

S




check_symbol






Simulating one transition

S




check_symbol






Simulating one transition

S




check_symbol




Simulating one transition

S




check_symbol






Simulating one transition

S




delete_state





Simulating one transition

S




delete_state





Simulating one transition

S




delete_state





Simulating one transition

S




delete_state




Simulating one transition

S




delete_state





Simulating one transition

S




delete_state





Simulating one transition

S




delete_state





Simulating one transition

S




copy_state






Simulating one transition

S




copy_state




Simulating one transition

S




copy_state






Simulating one transition

S




delete_symbol






Simulating one transition

S




delete_symbol




Simulating one transition

S




insert_symbol






Simulating one transition

S




insert_symbol




Simulating one transition

S




insert_symbol






Simulating one transition

S




move_head






Simulating one transition

S




move_head






Simulating one transition

S




move_head_0






Simulating one transition

S




move_head_00






Simulating one transition

S




move_head_000






Simulating one transition

S




reset





Simulating one transition

S



reset



Takeaways

- A multitape TM can be simulated by a single tape one
- Any TM can be simulated by one with tape alphabet $\{0, 1, \square\}$
- TMs can be encoded as strings and used as input for other TMs
- Any TM's run on any input can be simulated by a UTM